

LINCOLN COUNTY OILFIELD SERVICES LTD (CA-0003639)

WARRANTY COVERAGE

Tel: 780 675 9613 City: ATHABASCA Facility: D18 Acct Type: **MI** Business Type: End-User

Stock No	656156	Make:	CAT	Model:	330-07	Serial No:	LHW30200	Division:	G	FPC:	10086
Eq Sts:		Inv Sts:		Last SMU:	2532 H	SMU Date:	Feb 23, 2026				
Eng Make:		Eng Model:		Eng S/N:		Eng Arr No:					
Trans Make:		Trans S/N:		Trans Arr No:							Equipment View - MOS390 >>

Type Code	Start Date	Expire Date	Expiration SMU	Description	Claim Class Group	Monthly Limit	Serv Mtr Limit	H/M Ind
CAAUU12HEX	Sep 11, 2023	Sep 11, 2024	0	Standard 12 Months Unlimited Hours	1	12	0	H
CNSS048HEX	Sep 11, 2023	Sep 11, 2027	5000	Excavator 48/5000 PREMIER + TVL	2	48	5000	H



Custom Track Service
Percent Worn

FINNING INTERNATIONAL INC.

LINCOLN COUNTY OILFIELD SERVICES

Prepared By: Shahir Rahman

--

Model	330-07	Inspection Date	22Jul25
Manufacturer	Caterpillar	Next Inspection Date	25Aug28
Serial Number	LHW30200	Next Inspection Hours	1288
Reference Number	--	Underfoot Conditions	
Hour Meter Reading	483	Impact	--
Hours Per Week	5.0	Abrasion	--
Total Odometer Reading	--	Moisture	--
Forward Odometer	--	Packing	--
Reverse Odometer	--	Bushing Allowable Wear	Greater
Distance Per Week	--	Link Allowable Wear	Greater

Track System	Acceptable Range (mm)		Measurement (mm)		Condition	
	Min	Max	Left	Right	Left	Right
Link Roller System						
					<0%	<0%

Position	Part Number		Status		Date Installed		SMU Installed		Hours on Wear Surface		Measurement (mm)		Percent Worn		
	Component	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right		
Link Assembly		Left: 6106264				Right: 6106264				Pitch: 8.0 In (203.2 Mm)		Sections: 50			
Track Links	5172281	5172281	Original	Original	19Sep23	19Sep23	0	0	483	483	34.0 (U)	34.5 (U)	<0%	<0%	
Bushing (Int)	6071451	6071451	Original	Original	19Sep23	19Sep23	0	0	483	483	815.0 (T)	815.0 (T)	18%	18%	
Bushing (Ext)	6071451	6071451	Original	Original	19Sep23	19Sep23	0	0	483	483	11.4 (U)	12.2 (U)	0%	<0%	
Track Shoes		Left Width: 800mm						Right Width: 800mm							
	5172065	5172065	Original	Original	19Sep23	19Sep23	0	0	483	483	57.0 (U)	54.4 (U)	<0%	<0%	
Idlers															
	6029393	6029393	Original	Original	19Sep23	19Sep23	0	0	483	483	21.0 (D)	--	30%	--	
Carrier Rollers															
Front	3004545	3004545	Original	Original	19Sep23	19Sep23	0	0	483	483	157.0 (C)	158.0 (C)	12%	8%	
2	3004545	3004545	Original	Original	19Sep23	19Sep23	0	0	483	483	158.0 (C)	157.0 (C)	8%	12%	
Track Rollers															
Front	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	44.2 (U)	44.4 (U)	<0%	<0%	
2	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	45.2 (U)	44.4 (U)	<0%	<0%	
3	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	--	--	--	--	
	Condition: Guarded						Condition: Guarded								
4	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	45.7 (U)	44.4 (U)	<0%	<0%	
5	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	--	--	--	--	
	Condition: Guarded						Condition: Guarded								
6	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	45.2 (U)	45.0 (U)	<0%	<0%	
7	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	--	--	--	--	
	Condition: Guarded						Condition: Guarded								
8	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	45.0 (U)	44.7 (U)	<0%	<0%	
9	5031353	5031353	Original	Original	19Sep23	19Sep23	0	0	483	483	45.7 (U)	45.2 (U)	<0%	<0%	
Sprockets															
	6Y4898	6Y4898	Original	Original	19Sep23	19Sep23	0	0	483	483	--	--	--	--	
	Condition: Good						Condition: Good								

Recommendations