



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

| Vehicle Tyr | e: | Truck | | | | Seating | g Capa | city: | | | | | |
|-------------|--------|-----------|----------|-------|------|----------|--------|--------|--------|--------|----------|-----|-----|
| GVW: | | 63500 k | g | | | Brake | Туре: | | Air | | | | |
| Owner Nan | ne: | DFI CO | RPORAT | ION | | | | | | | | | |
| Address: | 240 |)4 51AVE | NW | | | | | | | | w | | |
| City: | EDI | MONTON | | | Prov | ince: | AB | | | Posta | al Code: | T6P | 0E4 |
| Telephone | Num | ber: | (780) 46 | 6-523 | 37 | | | | | | | | |
| Vehicle Ide | ntific | ation Nu | mber: | | 5k | KPALCI | K26PV | V84350 | | | | | |
| Make: | ١ [| Western S | Star | | • | | | Model: | Conven | tional | | | |
| Year: | 12 | 2006 | | | | | | Unit N | umber: | | 205 | | |
| Odometer: | ! | 574022 KI | М | Lic | ence | Plate Nu | ımber | U04 | 1741 | | Province | e: | AB |

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

| Inspection Facility Name: | | Facility Number: |
|------------------------------|------------|---|
| DFI Corporation | | 10561 |
| Inspection Technician Name: | | Technician Number: |
| Jason Hosack | | B5663 |
| Inspection Technician Signat | ure: | J. G. |
| Inspection Date: | 2025/10/09 | 0, 7 |



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

| Vinit Number Vear 2006 Western Star Conventional Odometer 574,022 State Conventional Conven | ype c | f Veh | icle | | | | | | · <u>· · · · · · · · · · · · · · · · · · </u> | | | Gro | ss Veh | | 3500 | gistere kg | <u>a</u> | |
|--|-------|--------|--|-------------|-------------|-------------|-------------|------------|---|-----------|----------|---------------------------------------|-----------------|----------|----------|---------------|----------|---------------|
| Unit Number Year 2006 Western Star Conventional Odometer 574,022 | • | | | | | | | 1914 - Jan | | | A. Grand | | 3 3 4 E . 3 5 . | | | | | |
| Vestern Star Conventional 574,022 | | | | | P | 1 | L | С | K | 2 | 6 | P | W | 8 | 4 | 3 | 5 | 0 |
| Plate Number U04741 Address 2404 51AVE NW | | | per | | | | اا | | | | <u> </u> | | | | | | | <u>'</u> |
| DFI CORPORATION | | 205 | | | | | | | | | | | | | | | | |
| Address 2404 51AVE NW T6P0E4 (780) 466-5: Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes: | | | | | | • | _ | | | ! | | | | | į | | | |
| Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes: Disc Brakes: Disc Brake | | | | | | | DFI COF | RPORA | TION | | | | | | | | | |
| Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes: | | | | | | | | | | | | | | | | | | |
| LEFT FRONT RIGHT | | | | | 240 | 4 51AVI | E NW | | | | | | 1620 |)E4 | | (701 | u) 400-0 | ! Z JI |
| 115 psi | - | Drum E | Brakes: | A-Fı | ıll Inspec | tion with | Drum Re | moved | | Disc | Brakes | : | | | | | | |
| 115 psi 12 mm 25.4 m | | | <u> </u> | | | | <u>LEFT</u> | | <u>FF</u> | RONT | | RIGH | <u> </u> | | <u> </u> | - | | |
| 12 mm | | | $\left(\begin{array}{c} -1 \end{array}\right)$ | 15 psi | 1. [| | 420.65 | mm | Drum | s/Rotors | | 420 | .12 mr | n | 1 | 15 psi | | |
| 105 psi 105 | | | | | | | | mm | | | | | | | - | _ ` | | |
| 105 psi 105 psi 105 psi 105 psi 105 psi 105 psi 11 mm 9 mm 105 psi 105 psi 11 mm 9 mm 105 psi 11 mm 9 mm 105 psi | | | | | 1 L | | 25.4 | mm | Push | Rod Trav | el | | .5.4 mr | <u> </u> | | = | | |
| 105 psi | _ | | | | ∫ | | 420.24 | mm | Drum | s/Rotors | | 421 | .08 mr | <u>n</u> | | | | |
| 105 psi 105 | - | | _ | | - | | | mm | Linin | gs/Pads | | | 16 mr | n | _ | _ | | |
| 105 psi 105 | _ | 14 II | ····\ | 14 mm | | | 38 | mm | Push l | Rod Trav | el _ | | 38 mr | n | | 11 mm | 9 1 | ım |
| 105 psi 105 psi 105 psi 38 mm | _ | | | | | | 419.56 | mm | Drum | ıs/Rotors | | 419 | 9.63 mr | n | | | | |
| 105 psi 105 psi 105 psi 18 mm Linings/Pads 17 mm 9 mm 105 psi 105 ps | - | | - | 105 psi | . | | | mm | | | | | · | 1 | | — · | | |
| 105 psi 105 psi 18 mm | | 5 n | 1m _ | 9 mm | | | 38 | mm | Push I | Rod Trav | el | | 38 mr | n | _ | 9 mm | 10 m | ım |
| 105 psi | | | | | | | 410.64 | | Drun | ns/Potor | • | 410 | 04 mr | <u> </u> | | | | _ |
| 12 mm 9 mm 38 mm Push Rod Travel 38 mm 9 mm | _ | 105 p | si 🏻 _ | 105 psi |] . | | | | | | - | -413 | | | | D5 psi | 105 p | SÍ) |
| psi | (- | 12 m |)m | 9 mm | | | | | | | _ | | | 1 | | 9 mm | 9 m | ım . |
| psi | | | | | | | | | | | ••• | | | | | | | |
| mm Push Rod Travel mm mm mm mm mm mm mm psi | | F | osi | psi | \ | | | - | | | | | | | | psi | р | si |
| psi psi mm psi | | | - 1 | | - | | | - | | | _ | | | | | _ | n | nm |
| psi psi mm Linings/Pads mm psi ps | | | | <u> </u> | 1 L- | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | = | | _ |
| poi mm Linings/Pads mm | | | | | √ Γ. | | | mm | Drum | s/Rotors | ; | | mr | n | - | nei V | | |
| | | | - 1 | psi mm | | | | mm | | | | | mr | n | - | mm | | |
| mm Push Rod Travel mm | | | | | 1 L | ····· | | mm | Push | Rod Trav | el _ | | mr | n | | | | im |

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

| Component | P | F | NA | Component | P | F N/ |
|---|---|--|--|--|----------|----------|
| 1.1. Accelerator Pedal/Throttle Actuator | 1 | | | 1.8. Engine Start Safety Feature | 1 | ✓ |
| 1.2. Exhaust System | 1 | | | 1.9. Gear Position Indicator | \ | |
| 1,3. Emission Control Systems and Devices | | | 1 | 1.10. Engine or Accessory Drive Belt | / | |
| 1.4. Drive Shaft | ~ | | T | 1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System | | ~ |
| 1.5. Clutch and Clutch Pedal | 1 | | | 1.12. Gasoline or Diesel Fuel System | √ | |
| 1.6. Engine/Transmission Mount | ~ | | | 1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A* | | ~ |
| 1.7. Engine/Shut Down | | 1 | | | | |

NOTES:

UNIT WAS SERVICED AND REPAIRED FOR CVIP INSPECTION.

| | | ٩PP | END | IX."A" | |
|---|---|-----|-----|--|----------|
| Component | P | F | NA | Component P F | : NA |
| A.1, Liquefied Petroleum Gas (LPG or Propane) Fuel System | | | 1 | A.3. Liquefied Natural Gas (LNG) Fuel System | √ |
| A.2. Compressed Natural Gas (CNG) Fuel System | | | 1 | | |

NOTES:

| | Section : | 2 - S | uspension | を分析を表 | George Control |
|---|-----------|-------|---|----------|----------------|
| Component | PF | NA | Component | P F | NA |
| 2.1. Suspension & Frame Attachments | / | | 2.5. Air Suspension | | |
| 2.2. Axle Attaching & Tracking Components | 1 | | 2.6. Self-Steer and Controlled-Steer Axle | / | |
| 2.3. Axle & Axle Assembly | ✓ | | 2.7. Shock Absorber/Strut Assembly | √ | |
| 2.4. Spring & Spring Attachment | 1 | | | | |

NOTES:

| Section 3H- | - Hy | draulic Brakes | | | |
|---------------------------------------|------|--|---|---|--------------|
| Component P F | NA | Component | P | F | NA |
| 3H.1. Hydraulic System Components | 1 | 3H.13. Disc Brake System Components | | | \checkmark |
| 3H.2. Brake Pedal/Actuator | 1 | 3H.14. Mechanical Parking Brake | | | √ |
| 3H.3. Vacuum Assist (Boost) System | 1 | 3H.15. Spring-Applied Air-Released Parking Brake | | , | ✓ |
| 3H.4. Hydraulic Assist (Boost) System | 1 | 3H.16. Spring-Applied Hydraulic-Released Parking Brake | | , | ✓ |
| 3H.5. Air Assist (Boost) System | 1 | 3H.17. Anti-Lock Brake System (ABS) | | | ✓ |
| 3H.6. Air-Over-Hydraulic Brake System | 1 | 3H.18. Stability Control System | | | ✓ |
| 3H.11. Brake System Indicator Lamps | 1 | 3H.19. Brake Performance | | | ✓ |
| 3H.12. Drum Brake System Components | 1 | | | | |

NOTES:

| | Section | 3A - | Air Brakes | | | |
|--|----------|------|---|----------|----|----------|
| Component | PF | NA | Component | P | F | NA |
| 3A.1. Air Compressor | ~ | | 3A.13. Air System Components | / | | |
| 3A.2. Air Supply System | | | 3A.14. Brake Chamber | 1 | | |
| 3A.4. Air Tank | ✓ | | 3A.15. Drum Brake System Components | | `` | |
| 3A,5, Air Tank Check Valves | ✓ | | 3A.16, S-Cam Drum Brake System | ✓ | | |
| 3A.6. Brake Pedal/Actuator | ✓ | | 3A.17. Brake Shoe Travel (Wedge Brakes) | | | ✓ |
| 3A.7. Treadle Valve and Trailer Hand Valve | / | | 3A.18. Disc Brake System Components | - | | ✓ |
| 3A.8. Brake Valves & Controls | | | 3A.19. Anti-Lock Brake System (ABS) | ~ | | |
| 3A.9. Proportioning, Inversion or Modulation Valve | ✓ | | 3A.21. Stability Control System | | | ✓ |
| 3A.10. Towing Vehicle (Tractor) Protection System | 1 | | 3A.23. Brake Performance | 1 | | |

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

| Component | Р | F | NA | Component | P | F | NA |
|---|----------|-----------|--------------------|--|---------------------------------------|---|----------|
| 3A.11. Parking Brake & Emergency Application | ✓ | | | | | | |
| NOTES: | | | | | | | |
| NOTES. | | | | | | | |
| | Sect | tion | 4 - | Steering | | an William | |
| Component | Р | F | NA | Component | Р | F | NA |
| 4.1. Steering Control and Linkage | | 1,7 | | 4.4. Kingpin | √ | | |
| 4.2. Power Steering System (Hydraulic and Electric) | 1 | | | 4.5, Self-Steer and Controlled-Steer Axle | | | ✓ |
| 4.3. Steering Operation (Active Steer Axle) | 1 | | | | | | |
| NOTES: | | | | | | | |
| Section 5 - Inc | 200 | 45200,250 | (a 17 3) | nd Auxiliary Equipment | | | |
| Component | P | F | NA | Component | P | F | NA |
| 5.1. Fire Extinguisher | 1 | | | 5.8. Heater & Windshield Defroster | 1 | | <u> </u> |
| 5.2. Hazard Warning Kit | ✓ | | | 5.9. Fuel-Burning Auxiliary Heater | | | _ |
| 5.3. Horn | ✓ | | | 5.10. Chain/"Headache" Rack | √ | | ╄- |
| 5.5. Speedometer | / | | | 5.11. Auxiliary Controls and Devices | \perp | | - |
| 5.6. Odometer | / | _ | | 5.12. Auxiliary Drive Controls | | | _ |
| 5.7. Windshield Wiper/Washer | ✓ | | | and Palancial and a program of the palancial and | | | |
| NOTES: | | | | | | | |
| NOTES: Component | | | n 6 NA | - Lamps Component | P | F | N.A |
| Component 6.1. Required Lamps | | | | Component 6.4. Instrument Panel Lamps | P | F | N.A |
| Component 6.1. Required Lamps 6.2. Reflex Reflector | | | | Component | P | F | NZ |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking | | | | Component 6.4. Instrument Panel Lamps | P | F | N/ |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: | P | F | NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim | P V V V V V V V V V | | N/ |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: | P | 7 - i | NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 2 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Sec | P | 7 - i | NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component | / | | |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Sec. Component 7.1. Wiring | P | 7 - i | NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim | \ \frac{1}{2} | 2 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Sec | P | 7 - i | NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component | / | 2 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Sec Component 7.1. Wiring 7.2. Battery NOTES: | etion P | 7 - I | NA Elec NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) | / | 2 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery | P / / | 7 - I | NA Elec NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim ctrical System Component 7.3. Trailer Cord (output to towed vehicle) | / | | N |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure | P / / | 7 - I | NA Elec NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper | P | | |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab | P / / | 7 - I | NA Elec NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component | P | | N |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab | P / / | 7 - I | NA Elec NA | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim ctrical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows | P | | N |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body | P / / | 7 - I | Elec NA on 8 | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim ctrical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window | P | | N |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body | P / / | 7 - I | Elec NA on 8 | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim ctrical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window 8.16. Interior Sun Visor | P | | N |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts | P / / | 7 - I | Elec NA on 8 | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim ctrical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window 8.16. Interior Sun Visor 8.17. Exterior Windshield Sun Visor | P | | N |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements | P / / | 7 - I | Elec NA on 8 | Component 6,4, Instrument Panel Lamps 6.5, Headlamp Aim Component 7,3, Trailer Cord (output to towed vehicle) -Body Component 8.12, Bumper 8.13, Windshield 8.14, Side Windows 8.15, Rear Window 8.16, Interior Sun Visor 8.17, Exterior Windshield Sun Visor 8.18, Rear-View Mirror | P | | N |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements 8.8. Cab or Cargo Door | P / / | 7 - I | Elec NA on 8 | Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window 8.16. Interior Sun Visor 8.17. Exterior Windshield Sun Visor 8.18. Rear-View Mirror 8.19. Seat | P | | N/ |
| Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements | P / / | 7 - I | Elec NA on 8 | Component 6,4, Instrument Panel Lamps 6.5, Headlamp Aim Component 7,3, Trailer Cord (output to towed vehicle) -Body Component 8.12, Bumper 8.13, Windshield 8.14, Side Windows 8.15, Rear Window 8.16, Interior Sun Visor 8.17, Exterior Windshield Sun Visor 8.18, Rear-View Mirror | P | | N |

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

| G011 10 K 123 (124 T) 1 | | | 1 11 | - Body | Р | F NA |
|--|-----------|----------|-----------|---|---|---------------------------------------|
| Component | P | F | NA | Component | F | |
| /ehicle | | <u> </u> | ļ | | - | |
| 3.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU)) | | | <u> </u> | 8.24. Aerodynamic Device & Attachment | | • |
| IOTES: | | | | | | |
| S | ectio | ր 9 - | Tire | s and Wheels | | 7715 724.4 |
| Component | P | F | NA | Component | P | FN |
| 9.1, Tire Tread Depth | - | | | 9.7. Wheel/Rim (Applies to all wheel types) | 1 | |
| 9.2. Tire Tread Condition | | - | | 9.8. Multi-Piece Wheel/Rim | | • |
| 9.3. Tire Sidewall & Manufacturer Markings | | - | | 9.9. Spoke Wheel/Demountable Rim System | | ~ |
| 9.4. Tire Inflation Pressure | 1 | - | | 9.10. Disc Wheel System | 1 | |
| 9.5. Wheel Hub | 1 | | | 9.11. Wheel Fasteners (Nuts, Bolts and Studs) | 1 | |
| 9.6, Wheel Bearing | | | | | | |
| | tion 1 | 0 - 0 | oup | lers and Hitches | | |
| Sec Component | lion 1 | <u> </u> | oup NA | Component | P | FN |
| Sec Component 10.1. Hitch Assembly, Structure & Attaching Components | (10 pt 1) | <u> </u> | | Component 10.5. Roll-Coupling Hitch | P | FN |
| Component 10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable) | (10 pt 1) | <u> </u> | | Component 10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device | P | FN |
| Component 10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable) 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch | (10 pt 1) | <u> </u> | | Component 10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler | P | FN |
| Component 10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable) 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch 10.4. Ball Type Hitch | (10 pt 1) | <u> </u> | | Component 10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device | P | FN |
| Component 10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable) 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch 10.4. Ball Type Hitch NOTES: Certification The Vehicle for which this Record of Inspection is issued has | PASS | F | NA ✓ | Component 10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler 10.8. Oscillating Fifth Wheel Coupler | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| Component 10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable) 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch 10.4. Ball Type Hitch NOTES: Certification | PASS | F | NA ✓ | Component 10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler 10.8. Oscillating Fifth Wheel Coupler | | • |
| Component 10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable) 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch 10.4. Ball Type Hitch NOTES: Certification The Vehicle for which this Record of Inspection is issued has accordance with the Vehicle Inspection Regulation, Alberta Record Structure (Safety Components) | PASS | F | NA ✓ | Component 10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler 10.8. Oscillating Fifth Wheel Coupler tificate #8543329) the inspection and I certify it has been in 106 and the applicable Inspection Manual. | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |

must be conducted.

Customer Signature

vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection