

Edmonton - Grande Prairie - Fort St. John - Dawson Creek - Fort Nelson

November 3, 2025

DFI Corporation 2404 – 51st Ave Edmonton, AB

### **CERTIFICATION**

**Equipment** DFI Truck Mounted Crane

Max Capacity35 TonModelRGZ-110

 Serial # / Unit #
 07-09-35T7528 / 46

 Owner
 DFI Corporation

 Nortech Field Report #'s
 385752, 385682

Our Engineering File # NT-10700

Permits to Practice: BC 1005175, AB P10646, SK 38390, MB 6938, ON 100622257, NT P1648

We performed an annual structural inspection of this crane as indicated on the inspection reports listed above. Nortech provided visual and magnetic particle inspection services. The field reports listed above provide a summary of the inspections. Inspected items included in this certification are as follows:

- FRONT OUTRIGGERS & BOX FRAME
- REAR OUTRIGGERS & BOX FRAME
- SUB FRAME/MAIN FRAME
- UPPER ROTATING STRUCTURE
- WINCH MOUNT
- BOOM BUTT SECTION
- BOOM INTERMEDIATE SECTION
- BOOM TIP SECTION

As a result of our inspections and review, it is our opinion that the structural components of this crane are in safe operating condition and may safely resume service according to all original specifications.

This certification is valid for 1 year. In addition to this inspection all applicable specifications from the original manufacturer and all applicable CSA codes and OH&S regulations are to be followed. Any incident, deviation from normal operation, or unauthorized repairs subsequent to this inspection will void this certification.



Edmonton - Grande Prairie - Fort St. John - Dawson Creek - Fort Nelson



PERMIT TO PRACTICE NORTECH ADVANCED NOT LTD. RM SIGNATURE: RM APEGA ID #: \_ DATE: PERMIT NUMBER: P010646 The Association of Professional Engineers and Geoscientists of Alberta (APEGA)

Nov 3, 2025



Association of Professional Engineers & Geoscientists of Saskatchewan

CERTIFICATE OF AUTHORIZATION

Nortech Advanced N.D.T. Ltd.


Number 38390

Permission to Consult held by: Discipline

Sk. Reg. No.

Signature





Nov 3, 2005



**ENGINEERS** GEOSCIENTISTS MANITOBA

Certificate of Authorization

Nortech Advanced N.D.T. Ltd.

No. 6938

Nov 3, 2025





### **CERTIFICATE NUMBER**

# Commercial Vehicle Inspection Certificate Traffic Safety Act

### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:		Truck			Seating	g Capa	city:		·			
GVW:		62500 k	кg		Brake '	Туре:	Air	Air				
Owner Nam	ne:	DFI CO	RPORATIO	ON								
Address:	240	4 51AVE	NW									
City:	ity: EDMONTON		Provi	nce:	АВ		Postal Code:	T6P0E4				
Telephone	Num	ber:	(780) 466-	5237								
Vehicle Ide	ntific	ation Nu	mber:	5K	KUALCI	K37PY	60777					
Make:	V	Vestern :	Star				Model: n/a	,				
Year: 2007					Unit Number:	46						
Odometer:	7	72482 KM	1   1	Licence I	Plate Nu	ımber:	H10123	Provinc	e: AB			

### IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
DFI Corporation		10561
Inspection Technician Nam	e:	Technician Number:
Justin Kumar		C0989
Inspection Technician Sign	ature:	pastifican
Inspection Date:	2025/11/06	0



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

ype c	f Veh	icle	(E) 5/2			90% in 1944			Constitution of the		GIO:	55 V.C.			register 0 kg	eu .	
22 E.	- 18.65	rmatic					\$2.0			4 5 5 5 5	4 Aug 5 ( 7 )		7000		inti (1770)		
IN	5	K	K	U	A	L	С	K	3	7	Р	Y	6	0	7	7	7
i lait	Numb	\	<u> </u>	Year	<u> </u>	<u>                                     </u>	Mai	<u> </u>	<u> </u>		Mode	 el	<u> </u>	<u> </u>	Oc	lometer	
UIIII	46	Jei		2007		W	esterr				n/s	a			. 7	2,482	
			<del> </del>		Po	gistered	Owner	's Name		.,	<del>.</del>				Plate	e Numbe	er
					•	DFI COF									H	10123	
												Postal	Code	<u> </u>	P	hone Nu	mber
					Address 4 51AV							T6P			1	30) 466-	
				240	+ 3 IAV									:			
	Drum E	Brakes:	A-Fu	ıll İnspec	tion with	Drum Re	moved		Disc E	rakes:						<u>.</u>	
						LEFT		FF	RONT	-	RIGH	Ţ					
		(1	05 psi			419.98	mm	Drum	s/Rotors		419.				105 psi		
			15 mm			18	mm		gs/Pads			19 m			15 mm		
				/ L		31.75	mm	Push I	Rod Trave	. <del></del>	31.	75 m	m				
								4510									
	N/A p	si 1	05 psi	-		419.35	mm		s/Rotors		419				105 psi	* N/A	psi
-	 N/A п	ım 🗀	 16 mm			19 31.75	mm		igs/Pads Rod Travel		21	19 m .75 m			17 mm	N/A	mm
				L=		31.73	mm	Pusn	ROU ITAVE	·							
_		_		_				Decem	ns/Rotors		440	00					
	100 p	si	100 psi	1 -		419.86 19	mm mm		is/Rotors igs/Pads		419		m m		100 psi	100	psi
	10 n	nm	10 mm	<u> </u>		38.10	mm		Rod Travel		38		m		5 mm	8	mm
_					-01/				~								
_						420.11	mm	Deun	ns/Rotors		419	.86 m	m				
	100 F	ısi 🌱 🕺	100 psi	<u> </u>		17	mm		ngs/Pads			19 m	- 1		100 psi		_
	10 n	nm\ _	5 mm			38.10	mm		Rod Trave	 	38	.10 m				9	mm
						,											
_						420.37	mm	Drun	ns/Rotors		420	.37 m	m			V 122	·.
	100	- 1	100 psi	-		17	mm		ngs/Pads		·	17 m	m _	_	100 psi	100	. 1
	5 r	nm\	9 mm			38.10	mm	Push I	Rod Trave	I	38	.10 m	m		6 mm	9	mm
_		-		-	••												
	_			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			_ mm	Drun	ns/Rotors			m	m		psi		psi
		osi _	psi mm	<b>  </b>			mm		ngs/Pads	_			m –		mm		mm
		nm		1 L			_ mm	Push	Rod Trave	<u> </u>		m	m		<i></i>	<u></u>	
				Park	Brake Li	ining L	_eft 1	7 mm	Right	17m	ım Trans	, N/A	. mm				
						ue Check		Inner	-	ft lbs (		450	ft lbs	,			

S S	ecti	on 1	- P	ower Train	2000	
Component	P	F	ΝĀ	Component	P	# INA
1.1. Accelerator Pedal/Throttle Actuator	1			1.8. Engine Start Safety Feature		
1.2. Exhaust System	1			1.9. Gear Position Indicator	<b>√</b>	
1.3. Emission Control Systems and Devices			<b>/</b> _	1.10. Engine or Accessory Drive Belt	<b>√</b>	<del></del>
1.4. Drive Shaft	1			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		~
1.5. Clutch and Clutch Pedal	1			1.12. Gasoline or Diesel Fuel System	1	
1.6. Engine/Transmission Mount	1			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		~
1.7. Engine/Shut Down	1				<u> </u>	

### NOTES:

UNIT WAS SERVICED AND REPAIRED FOR CVIP INSPECTION.

		APP	END	DX"A"		
Component	Р	F	NA	Component	P	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			<b>✓</b>	A.3. Liguefied Natural Gas (LNG) Fuel System	$\dashv$	 <u> </u>
A.2. Compressed Natural Gas (CNG) Fuel System			✓_			 

### NOTES:

	Section :	2 - Suspension	
Component	PF	NA Component P E	NA
2.1, Suspension & Frame Attachments	<b>✓</b>	2.5. Air Suspension	
2.2. Axle Attaching & Tracking Components	<b>✓</b>	2.6. Self-Steer and Controlled-Steer Axle	
2.3. Axie & Axie Assembly	<b>✓</b>	2.7. Shock Absorber/Strut Assembly	
2.4. Spring & Spring Attachment	/		

### NOTES:

	Section 3H - Hy	draulic Brakes	A Property and
Component	PFNA	Component	ON EN NA
3H.1. Hydraulic System Components	<b>√</b>	3H.13. Disc Brake System Components	<b>-</b>
3H.2. Brake Pedal/Actuator	<b>✓</b>	3H.14. Mechanical Parking Brake	<b>✓</b>
3H.3. Vacuum Assist (Boost) System	$\checkmark$	3H.15. Spring-Applied Air-Released Parking Brake	
3H.4. Hydraulic Assist (Boost) System	<b>✓</b>	3H.16. Spring-Applied Hydraulic-Released Parking Brake	<b>✓</b>
3H.5. Air Assist (Boost) System	<b>✓</b>	3H.17. Anti-Lock Brake System (ABS)	<b>/</b>
3H.6. Air-Over-Hydraulic Brake System	<b>✓</b>	3H.18. Stability Control System	<b>✓</b>
3H.11. Brake System Indicator Lamps	<b>✓</b>	3H.19. Brake Performance	
3H.12. Drum Brake System Components	<b>√</b>		

### NOTES:

\$	ecti	on :	3 <b>A</b> -	Air Brakes			All Toronto
Component	P	? <b>F</b>	NA	Component	Ρ	F	NA
3A.1. Air Compressor	1			3A.13. Air System Components	<b>√</b>		
3A.2. Air Supply System	1			3A.14, Brake Chamber	<b>✓</b>		
3A.4. Air Tank	1			3A.15. Drum Brake System Components	<b>✓</b>		
3A.5. Air Tank Check Valves	1			3A.16. S-Cam Drum Brake System	<b>√</b>		
3A.6. Brake Pedal/Actuator	1			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	/			3A.18. Disc Brake System Components			✓_
3A.8. Brake Valves & Controls	1			3A.19. Anti-Lock Brake System (ABS)	<b>\</b>		
3A.9. Proportioning, Inversion or Modulation Valve	1			3A.21. Stability Control System			<b>✓</b>
3A.10. Towing Vehicle (Tractor) Protection System	1			3A.23. Brake Performance	<b>✓</b>		

TR	UCK	ΑN	T DI	FRUCK-TRACTOR			
	Section	n 3	3A - A	Air Brakes	317		
Component	Р	F	NA	Component	P	F	Α
3A.11. Parking Brake & Emergency Application	<b>/</b>						_
NOTES:			,				
	Sec	tio	n 4 - \$	Steering		g ele	
Component	P	F	NA	Component	P	F.	A
4.1. Steering Control and Linkage		0.000000	P 1 1.70 P 6 (24)	4.4. Kingpin	1		_
4.2. Power Steering System (Hydraulic and Electric)	1			4.5. Self-Steer and Controlled-Steer Axle	<b>✓</b>		_
4.3. Steering Operation (Active Steer Axle)	<b>✓</b>						_
NOTES:		3152	ar salah yang				
Section 5 -	Instru	./5.5		nd Auxiliary Equipment		F.	JA.
Component	P	F	NA				<b>38</b>
5.1. Fire Extinguisher	<b>✓</b>			5.8. Heater & Windshield Defroster	1		_
5.2. Hazard Warning Kit	_ <		_	5.9. Fuel-Burning Auxiliary Heater		-	<b>✓</b>
5.3. Horn				5,10, Chain/"Headache" Rack	1	-	
5.5. Speedometer		_	1	5.11. Auxiliary Controls and Devices	<b>Y</b>		$\overline{}$
5.6. Odometer				5.12. Auxiliary Drive Controls	++		<b>-</b>
5.7. Windshield Wiper/Washer		<u> </u>			<u> </u>		_
Component 6,1, Required Lamps	Se P		NA	- Lamps  Component  6.4. Instrument Panel Lamps	P.	F	ŊĄ
6.2. Reflex Reflector				6.5. Headlamp Aim	1		
6.3. Retro-Reflective Marking	1						
NOTES:	Section	7.	- Elec	etrical System			
Component Component	P	E	NA	Component	P	F	NA
7.1. Wiring	<b>-</b>	1 1993	e-volter	7.3. Trailer Cord (output to towed vehicle)	<b>✓</b>		
7.2. Battery	<b>✓</b>				<u></u> _		
NOTES:			uan <b>e</b>	- Body			
	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45		\$P\$\$P\$\$P\$中国的第一次是自己的第一人的第一人的第一人的。			
Component	P	F	NA	The state of the s		Ē	
8.1. Hood or Engine Enclosure		-		8.12, Bumper	1		
8.2. Tilt Cab		├-	<b>-</b>	8.13. Windshield	*		
8.3. Air-Suspended Cab		-		8.14. Side Windows	-		<u></u>
8.4. Cab and Passenger-Vehicle Body		-	+	8.15. Rear Window 8.16. Interior Sun Visor	1		<b>4</b>
8.5. Cargo Body 8.6. Frame, Rails & Mounts			+	8.17. Exterior Windshield Sun Visor	1		
8.6. Frame, Rails & Wounts		+		9.19. Regra/figur Mirror	1		—

8.7. Unitized Body Elements

8,8, Cab or Cargo Door

8.9. Cargo Tank or Vessel

8.10. Body, Device or Equipment Attached or Mounted to the

8,18, Rear-View Mirror

8.21. Fender/Mud Flap

8.20. Seat Belt/Occupant Restraint

8.19. Seat

	्। हा ह <b>े S</b>	ecti	on 8	-Body			91.0
Component	P	F	ŃΑ	Compon	ent	P	FNA
Vehicle ——						-	$\rightarrow$
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	~		<u> </u>	8.24. Aerodynamic Device & Atta	nchment		
NOTES:							
Se	ctio	n 9 -	Tire	s and Wheels			
Component	P	F	NA	Compor	ien <b>t</b>	P	F
9.1, Tire Tread Depth	1			9.7. Wheel/Rim (Applies to all w	neel types)	1	
9.2. Tire Tread Condition		/		9.8. Multi-Piece Wheel/Rim			
9.3. Tire Sidewall & Manufacturer Markings	1	/		9.9. Spoke Wheel/Demountable	Rim System		<b></b>
9.4. Tire Inflation Pressure	~			9.10. Disc Wheel System		<b>√</b>	
9.5. Wheel Hub		/		9.11. Wheel Fasteners (Nuts, Bo	olts and Studs)	_<	
9.6. Wheel Bearing	-	/				Ш	
Component  10.1. Hitch Assembly, Structure & Attaching Components  10.2. Secondary Attachment (Safety Chain or Cable)		?   F	NA	Comport 10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		FN
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.7. Fifth Wheel Coupler		_\L	
10.4. Bali Type Hitch			✓	10.8. Oscillating Fifth Wheel Co	upler	Ш	
NOTES:  Certification:  The Vehicle for which this Record of Inspection is issued has	PAS	SED	(Cer	tificate #8543340) the inspec	tion and I certify it has been in		
Date of Inspection Technician Numbe		ion 2	211/2	Facility Number	Signature		-
	•			-	hostole	-	
2025/11/06 C0989				10561	Marage		
Ctistomer Acknowledgment	\$ 824.						
I understand if a vehicle inspection identifies defects and rep	airs a	are r	equir	ed, once repaired, the vehicle	Date (Year/Month/	Day)	
and this Record of Inspection (ROI) may be presented to any					2025/11/06		
the initial inspection and only the failed items noted on this F vehicle is not returned for re-inspection within 10 days of the					0		
must be conducted.				p.out., o mopound	Customer Signat	шге	